



LINECARD



ENGLISH

Content

Design-In Concept	3
loT Platform	6
Systems Solutions	9
Product Overview	10
Temperature Sensors	11
Magneticfield Sensors	12
Optical Sensors	13
Motion Sensors and Inertial Sensors	14
Special Sensors	15
Touch PCs & Embedded Systems	16
Touch Monitore & Displays	17
Quartz / Oscillators / Filters	18
HF Modules / Antennas	20
Analog ICs	22
Memory ICs	23
Protection Devices	24
Thermal Management	26
Electromechanics	27
Connectors	28
Customized Cable Assemblies	31
Lighting Solutions / LEDs	32
LEDs	34
Accessories	35
Capacitors	36
Resistors	37
Inductive Components	38
Acoustics	39
Batteries / Power Supplies	40

Design-In Concept

Our Service

- + Solution-oriented, competent consulting by our technically experienced employees
- + Personal and individual solution oriented support
- + Cross-product project management
- + Implementation of customer-specific requirements
- + Network of service providers

Our Claim

- + Innovative products and customized solutions
- + High quality standards
- + Regular trend analysis
- + Great flexibility in product development
- + Long partnerships with suppliers

Your Advantages

- + endrich as reliable partner
- + Optimized product design
- + R&D support in hardware and software
- + Suitable product selection
- + Focus on own core competence
- + Reduced development times through endrich support





"Where the future of electronics is at home"



Quality and technical support: success through excellence In today's world, quality is crucial to success - it is more than just an aspiration, it is the key to excellence. Those who focus on quality demonstrate their expertise. True to the motto: you can only be truly successful with first-class components. In times when long-term business relationships have become rare, we really on continuity and close co-operation. Not only with regard to suppliers, but also within the team. This enables us to guarantee competitive advantages and maximum product availability. A positive working environment also promotes efficiency and motivation in everyday life.

Our **endrich** marketing teams and sales staff are demanding, innovative and results-oriented. They have outstanding technical qualifications, which are complemented by many years of experience in design-in. Each product area is managed by **endrich** specialists and experts from our manufacturers. This means that we can always offer you the customised technical support you need.





"endrich: Innovation, proximity and service in perfection"

From our central warehouse in Nagold, we deliver to over 50 countries worldwide, always to the highest standards such as "just in time", buffer and consignment stock, including customer-specific labelling for seamless traceability. Thanks to our customised and customer-oriented logistics, we can quickly get our products to where you need us. We maintain close contacts directly with the manufacturer and at the same time are always close to you, thinking locally and acting globally - in the truest sense of the word.

We see the procurement of innovative components and the development of customised system- and IoT-solutions not only as a challenge, but also as a key strength of our company. The highest level of service and quality are benchmarks for us, especially in an industry that is known for its global quality competition. Even when costs and product development are developing rapidly, we remain calm and make targeted use of our expertise. We do not leave our customers alone, but advise them at an early stage on suitable products and their possibilities - right through to sales. The advantages of family thinking are only possible in a family business like **endrich**. We are standing for personal dialogue from person to person and focus on long-term customer and manufacturer relationships, in line with our claim *"endrich - components of life"*.




Endrich – Your Partner for IoT Development and Connected Technologies

At endrich, we have made it our mission to activity promote are committed to actively advancing research and development in the field of IoT (Internet of Things). With this new focus, we are entering an era where we expand our long-standing expertise in the design of electronic components to comprehensive and holistic systems in the IoT domain. Through our own developments and indepth know-how, we set new standards and shape the future of connected technologies.

In an increasingly connected world, the development of intelligent products is crucial for success. Data is the foundation of every intelligent decision. At Endrich, we stand by our customers as a reliable partner to jointly develop innovative IoT solutions.

Our **E-IoT ecosystem** offers a complete solution from a single source: from IoT nodes and smart sensors to gateways and cloud services – everything you need for your IoT development. We leverage our extensive experience to create tailored solutions that meet your specific needs.

Endrich – Your Partner for Innovative IoT Solutions



We offer:

Customized Development

Transform conventional devices into smart products with us. Our open IoT single-board computer design enables quick and flexible adaptations to fulfill your specific requirements.

Enhancement of Existing Systems


With our IoT extensions for Arduino, Raspberry Pi, and other single-board computers, we make your existing systems "IoT ready."

Comprehensive Environmental Monitoring

Our solutions help you efficiently to monitor environmental parameters such as air quality and temperature, optimizing processes and creating safer working and living environments.

e-loT Concept

One way to transmit data is through smart sensors directly connected to the Internet. However, in many cases, a local wireless sensor network with a single Internet gateway is a better and more economical solution. We will discuss these options illustrated by the e-IoT ecosystem, which offers cellular LPWAN connectivity for direct sensor-database communication and recently utilizes NeoCortec's revolutionary NeoMesh protocol. This enables an ad-hoc, extremely energy-efficient sub-GHz mesh WLAN to collect data locally and transfer it to the Internet via a single access point.



Industry 4.0 demands connected machines and systems that exchange and utilize data from sensors. Electronics based on microcontrollers (MCUs) take care of controlling the sensors and even allow for processing data directly on-site (edge computing) before transferring it to a database for analysis or visualization. The ecosystem that makes all this possible is called IoT (Internet of Things) and includes hardware components as well as software services like databases and visualization tools. Endrich's own **e-IoT system** provides a comprehensive solution from a single source. Multiple IoT nodes, smart sensors, gateway devices, and cloud services are available to our partners to initiate and advance their IoT development.



"We make your device smart". Endrich operates in three key areas, the first of which focuses on transforming conventional devices into **SMART** devices. To this end, we have developed a RISC-V-based IoT single-board computer under an open hardware and software structure, with all technical data freely available to our customers. The device serves as an evaluation board to establish connections and conduct tests with the entire e-IoT platform. This can form the basis for a more specific product development.

"Make your SBC IoT ready". The second area involves integrating other commercially available SBCs (single-board computers) such as **Arduino** or **Raspberry Pi**. Endrich offers extension shields to convert these MCU boards into fully-fledged IoT endpoints by adding sensors and communication capabilities.





"We care about the environment". To provide a better environment for people, Endrich employs IoT technologies for monitoring environmental parameters.

The above-mentioned areas require the detection of operational parameters (e.g., machines and equipment, mainly for telemetry and predictive maintenance) as well as environmental parameters such as air quality, temperature distribution, and other important measures that describe the properties of a particular environment (e.g., in buildings, warehouses, cities, or residential areas).


Together towards success At endrich, we understand that every development is unique. That's why we work closely with our customers to develop customized solutions that are optimally tailored to their needs. With our technical expertise and experience, we elevate your projects to the next level. Together, we create innovations that make a difference.

Let us realize your vision together

Systems Solutions

EXPERTISE

Endrich is your partner for every phase of the product lifecycle, from concept to market launch. With a comprehensive consulting service, innovative solutions, and high-quality accessories, we provide a holistic support. Our collaborations with leading partners enable us to develop customized solutions that are precisely tailored to your needs, distinguished by their versatility and quality.



CONSULTING

- Requirements analysis and concept definition
- Material concepts
- Support with product selection
- Customised adaptations
- Solution optimisation through feedback loops

ACCESSORIES AND ADDITIONAL SERVICES

- Assembly of the complete module
- Selection and integration of NFC, NB-loT, Bluetooth and WLAN modules
- Calibration of the capacitive touch panel
- Audio and camera solutions
- Software integration and customisation

SERVICE AND SUPPORT

- Project management from concept to production
- Support with product qualification and certification
- Technical support and maintenance services
- Training courses
- Spare parts management
- Logistics concepts

CUSTOMER ADVANTAGES

- Everything from a single source
- Personalised support and direct contact person
- Extensive and in-depth market knowledge
- Cross-product expertise
- More time for your own core expertise

Product Overview

With the constantly expanding product portfolio in the areas of Displays + Embedded, Active, Passive, Radio, Sensors, Acoustics, Lighting Solutions, Power Supplies as well as Electromechanics, endrich always offers its customers the right product for the respective application. The quality of the products is not a question of pretension, but the key to success. Who recommends quality shows that he is an expert himself.



Sensors



Active Components



Passive Components



Displays & Embedded Systems



Electromechanics



Acoustics



Wireless Connectivity & IoT Solutions



Lighting Solutions



Power Supplies & Batteries Systems

Temperature Sensors



Manufacturer	Semitec	Tateyama	Tewa
NTC		-	
PTC			
Assembled Sensors			

Eigenschaften

Certifications General Information	IATF 16949 ISO 9001 ISO 14001 ISO 13485 Semiconductor based ceramic resistors Guaranteed long term stability of minimum 10 years High precision thermistors featuring extremely small B-value tolerance and	IATF 16949 ISO 9001 ISO 14001 Thick film thermistors based on AI2 O3 substrate Tateyama patented core material technology Wide variety and customization of R/T curves	ISO 9001 ATEX Semiconductor based ceramic resistors Flexible temperature sensor supplier in Europe Wide range of assembled NTC/ PTC/PtRTD temperature probes
	resistance High quality with best price/ performance ratio	Guaranteed long-term stability of mini- mum 10 years High quality with best price/performan- ce ratio	Customized sensors on demand High quality with best price/perfor- mance ratio
Applications	Automotive Battery Management HVAC Electro Domestics Industrial Metering Medical	Automotive Battery Management HVAC Electro Domestics Industrial Metering Medical Technology	Automotive Battery Management HVAC Electro Domestics Industrial Metering Medical Technology
Specifics	Temperature sensors for e-mobility applications (HV/EV) µ-pressure and temperature sensor for medical applications	Temperature sensor with a fast thermal response for e-motor (Coil & Hairpin)	Assembled temperature sensors up to IP68 for refrigerators and freezers



TATEYAMA



Magnetic Field Sensors



Manufacturer	Magnesensor	Sensitec	S4sensors	TDK-Micronas
Magnetic field				
Current measurement				

Certifications	ISO 9001	ISO 9001	ISO 9001	ISO 9001
		IATF 16949	IATF 16949	IATF 16949
General Information	Asian manufacturer of Hall sensors Broad portfolio of switches and linear sensors	Production with own chipfab in Germany Very broad portfolio of current sensors	Start-up with membership of the innovative SPARC Group Niche supplier for angle and current sensor Production in Italy	Development / production with own chipfab in Germany High level of expertise in the field of functional safety Leading manufacturer of linear sensors in the automotive sector
Applications	Industry White Goods	Current Measurement Automotive Industry White Good	Industrial Joystick Applications Position Detection (3D)	Automotive Industry White Goods Medical Technology
Specifics	Good price-performance ratio Many different types of ana- log and digital Hall sensors available.	Current sensors of different complexity: - Discrete components (chip level) - Current sensor modules - Residual current sensors	Angle sensor S4-3DB01 with unique stray field immunity I ² C interface available	HAL39xy - True 3D sensor with internal stray field com- pensation HAC - Hall sensor with inte- grated capacitors HAR - Hall sensor as dual-die- variant (redundancy)







Optical Sensors



Manufacturer	Everlight	Lextar	Epigap OSA
Infrared Leds		-	
Photo Reflectors and Light Barriers			
Bio-Monitoring Sensors and Multi LEDs			
Optical Detector			
Infrared receiver			
VCSEL & TOF Sensors			
Laser Dioden			
Laser modules and systems			
Photodiode for Laser			

Features

Certifications	ISO 9001	ISO 9001	ISO 9001
	IATF 16949	IATF 16949	IATF 16949
General Information	Well-known Taiwanese manufacturer with a high level of manufacturing know-how Wide range of IR sensors: IR LEDs, phototransistors, photodiodes, am- bient light sensors, bio-sensors and light barriers	Well-known Taiwanese manufacturer with a high level of manufacturing know-how Wide range of IR sensors and VCSELs	Innovat photonics made in Germany Customization and sophisticated re- alization (point source chip diameter 10-150um)
Applications	Medical Non-Invasive Measurements White Goods Measuring Instruments Light Curtains Bio-Monitoring Heating Ventilation Air Conditioning	Camera Vision, 3D Sensors Vital, Signs Motion Detectors, Door position People, Counting, Automotive, Solutions for Innenraumsensoren, Access Control, CCTV, Biomonitoring Sensors	Phototherapy & Biophotonics Fluore- scence & Absorption measurement technology (Dialysis instruments, Spectral photometers), Lab automa- tion diagnostic (Clinical chemistry analysers
Specifics	Wide product range and Cheap Al- ternative in "low power" Infrarot LEDs	Wide product range and cheap alternative in "high power" Infrared LEDs	3mm, 5mm and TO leds package 255-1720nm SMD 365-1650nm Multichip SMD packa- ge [3x3x1.1mm for 4 chips; 5x5x1.1mm for 6chips]; SMD-Module (3.2x4.9mm, 7 wavelengths, 430-1650nm); Mul- ti-chip Module (14 chips, Z-diode, ESD-Protection)

EVERLIGHT





Motion and Inertial Sensors



Manufacturer	RF beam	Nisshinbo	NiCeRa	Panasonic
Pyrosensors (PIR)				
Radar sensors				
Inertial measurement unit (IMU) sensors				

Features

Certifications	ISO 9001	ISO 14001 IATF 16949	ISO 14001 IATF 16949 partly	ISO 9001
General Information	Swiss company Specialist for consumer and special applications in the field of radar sensors and develop- ment of RF applications	Japanese manufacturer of ana- log and optical components as well as microwave components	Long-standing partner for ceramic-based electronic components, including pyro- sensors (PIR sensors) and the associated Fresnel lenses	The 6in1 sensor is a 6DoF inertial sensor with functional safety standard ISO26262 compliance for automotive applications. The sensor consists of 3 ac- celeration and 3 rate sensing elements on a single MEMS chip.
Applications	Traffic Technology Door Opener Motion Detectors Light Control Speed Measurement	Motion Detector Door Opener People Counting	Motion Detection Building Technique Security Technology White Goods	Automotive applications: - Traction Control Systems (TCS) - Electronic Stability Control (ESC) - Adaptive Cruise Control (ACC) Non-automotive applications: - Agriculture or construction machine - Drones - E-bike
Specifics	Digital 1D-, 2D- and 3D-Radare, i.e.: K-LD2 (24GHz CW 1D Radar) K-LD7/K-MD7 (24GHz FSK 2D Radar) V-MD3 (24GHz FMCW 3D MIMO Radar) V-LD1 (small and low cost digital 61GHz FMCW radar distance sensor)	Low-power radar modules NJR4267 series (24GHz radar sensor with long range (up to 30m) for non-contact switching and lighting applications (e.g. high-bay warehouse) NJR4652 series (60GHz Smart Sensor Micro-module)	Digital pyrosensors with I ² C or UART- interface SMD pyrosensors available	ASIL-B(D) compliant AEC-Q100 Grade 1 4.5x4.5x1.1mm QFN SPI Interface

RFbeam Microwave





Panasonic

Special Sensors



Hersteller	CFSensor	Azoteq	Sensolute	Panasonic	Micro Sensor
Solar cells					
Gas-, Particle- and VOC Sensoren					
Pressure Sensors					
Pressure Transmitter					
Flow Sensors					
Vibration Sensors					
Touch Sensors					

Features

Certifications	ISO 9001 IATF 16949	ISO 9001	ISO 9001	ISO 9001	ISO9001 ISO14001 ISO18001
General Information	High-tech company that has been dedicated to the research, develop- ment and manufacture of infrared sensors, piezoresistive silicon pressure sensor chips, SOI high-temperature pressure sensor chips, board mounted MEMS pressure sensors, pressure sensors, pressure sensor modules, pressure transmitters and flow sensors	Azoteq is a fabless ma- nufacturer of capacitive and inductive sensor technology with head- quarter in South Africa The Proxsense touch sensor family enables various touch sensor applications such as buttons or sliders. With the Proxfusion series, capacitive or inductive touch measure- ments are possible and, in addition, other sensors such as magnetic field sensors are integrated.	The micro vibration sensor is used to detect movements and vibra- tions. Its small dimensions make it suitable for use in very small electrical devices. It is very easy to integrate and does not require any special signal evaluation.	Amorphous silicon solar cells for indoor and outdoor use in glass, stainless steel and plastic film The solar cells have a high degree of efficiency with good long-term stability	Since the 1970s, Micro Sensor has been invol- ved in the research and development of pressure sensors and transmitters based on piezoresistive measuring principles
Applications	Very broad product range of PCB MEMS pressure sensors for Household Appliances, Healthcare, Automoti- ve, Water Pumps, Air Compressors, Meteoro- logy, IoT	Wearables, Gaming Keyboards and Joysticks, Control Panels e.g. for White Goods or Industry HMI Interfaces Bounce-free buttons	Bicycle rear light Animal Monitoring Wake-up for portable devices	Clocks Remote controls of blinds and lighting control Building Technology Energy Harvesting Applications	Process Control Intelligent Manufacturing Smart City Precision Control Specific Applications
Specifics	CO2 Sensor Module XGZG360M CO2 gas Sensor XGZG360 Thermopile Temperature Sensor XGZT263 MEMS pressure Sensors pressure transmitters flow Sensors	Touch sensors with up to 150 channels	Very small design Purely passive Noiseless	Film solar cell only 0.18 mm thick Customised solutions possible	M20 M-Series: Pressure transmitters for general industrial applications MPM3801: Digital pres- sure sensor with I ² C/SPI interface MPM280AU: Pressure sensor for hydrogen pressure measurement





SENSOLUTE

Panasonic

MICROSENSOR

Touch PCs & Embedded Systems



Manufacturer	DLogic	ASRock Industrial	DFI	F&S Elektronik Systeme	Vekatech
Touch PCs					
Boxed PCs					
Embedded Boards x86					
Embedded Boards ARM					

Certifications	ISO 9001 ISO 14001 ISO 45001	ISO 9001 ISO 14001 IATF 16949	ISO 50001 ISO 9001 ISO 13485 ISO 14001 ISO 14064-1 ISO 45001 QC 080000	ISO 9001 ISO 13485	ISO 9001 ISO 14001
General Information	Headquartered in Swit- zerland with branches in Germany, Hong Kong and China Founded: 2008	Headquarters in Taiwan with production facilities in Asia Logistics centres in Europe and Taiwan Founded: 2011	Headquarters in Taiwan with production facilities in Asia Logistics centre in Europe Founded: 1981	Head office with deve- lopment and production in Germany Founded: 1990	Head office with deve- lopment and production in Bulgaria Founded: 2004
Applications	Industrial Automation Medical Technology Marine E-charging Stations	Industrial Automation Building Automation Video Surveillance Pay Stations Robotics Gaming	Industrial Automation Building Automation Video Surveillance Pay Stations Robotics Gaming	Industrial Automation Building Automation Medical Technology	Industrial Automation Building Automation Medical Technology
Specifics	Touch PCs (ARM) with NXP i.MX 8M Plus, 5.0' - 15.6' Manufacturer with a very high level of integration Customised adaptations possible for all products	Industrial Motherboards (x86) ATX, Micro-ATX, Micro- STX, Mini-STX, Mini-ITX Single board computer 3.5', 4x4, NUC, UTX, Pico-ITX Computer on Module COM Express Qseven Fanless and fanless embedded box PCs Industrial IoT PCs Space-saving and expandable AloT platforms	Industrial Motherboards (x86) ATX, Micro-ATX, Mini-ITX Single Board Computer 1.8', 2.5', 3.5', 4' Computer on Module COM Express Mini COM Express Basic QSeven Products with extended temperature range	Single Board Computer (ARM) with NXP i.MX 8MP, i.MX 8ULP, i.MX95 System-on-Modules (ARM), with NXP i.MX 8M Plus, i.MX 8ULP, i.MX93 SoM standards OSM (open standard module) SMARC Windows on ARM Linux Yocto / Buildroot Development service and production for carrier boards Customised adaptations possible for all products	Single Board Computer (ARM) with Renesas MPU Raspberry Pi 4 com- patible System-on-Modules (ARM) with Renesas MPU System-on-Modules with RISC-V MPU Linux Yocto / Debian











Touch Monitore & Displays



Manufacturer	RiT	Eagleeye Tech	Multi-Inno	SGD	Raystar
Touch Monitore					
TFT-Displays with PCAP					
Monochrome LC-Displays					
pmOLED Displays					
E-Paper Displays					

Certifications	ISO 9001 ISO 14001 ISO 45001	ISO 9001 ISO 14001 IATF 16949 GC 080000	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16946	ISO 9001 ISO 14001 ISO 45001 IATF 16949
General Information	Headquartered in Swit- zerland with branches in Germany, Hong Kong and China Founded: 2008	Head office in Hong Kong with production in China Founded: 2010	Head office in Hong Kong with production in China Founded: 2005	Headquarters in Taiwan with production in Taiwan and China Founded: 1989	Headquarters in Taiwan with production in Taiwan and China Founded: 2007
Applications	Industrial Automation Medical Technology Marine E-charging Stations	Industrial Automation Building Automation Medical Technology Telecommunications	Industrial Automation Building Automation Medical Technology Telecommunications	Industrial Automation Building Automation Medical Technology Telecommunications	Industrial Automation Building Automation Medical Technology Telecommunications
Specifics	Touch monitors 7.0' - 49', 1,000cd/m², optically bonded, optio- nal IK10 Manufacturer with a very high level of integration Customised adaptations possible for all products	TFT displays with PCAP from 0.96' - 108' E-paper displays from 0.97' - 31.2' Monochrome LC displays endrich iSi30+ displays with standardised MIPI and LVDS interface Customised adaptations such as protective glass, backlight, interfaces possible	TFT displays with PCAP from 0.96' - 15.6' pmOLED displays from 0.49' - 5.5' Monochrome LC Displays Special resolutions and sizes on request Customised adaptations such as protective glass, backlight, interfaces possible	TFT displays with PCAP from 1.44' - 21.5' Very high brightness up to 1,600 cd/m ² Extended operating temperature range from 30°C to 85°C Monochrome LC Displays	TFT displays with PCAP from 4.3' - 10.1' with HDMI interface pmOLED displays from 0.49' - 5.5' SMART Display series from 3.5' - 10.1' with CAN bus and UART interface Monochrome LC Displays











Quartz / Oscillators / Filters



Manufacturer		Citizen	Maruwa	SMI
Quartz Crystals	MHz			•
Clock Crystals	kHz			•
Oscillators	MHz			
Oscillators	kHz			
MCF Filter				
Dielectric Filters				

Features

Certifications	ISO 9001	ISO 9001	ISO 9001
General Information	Wired and SMD watch crystals Smallest design: 1.6 × 1.0 mm Tight tolerances: Up to ± 5 ppm Extended temperature range: - 40 + 85 °C (+125 °C in design)	Compact, small housing, high-quality voltage-controlled oscillators (VCO) Frequency range: 100 MHz 5 GHz Small designs: up to 3.2 x 4.5 mm Low phase noise Excellent temperature stability Customised products	Quartz crystals, standard oscillators, TCXO, VCXO, MCF Frequencies: 16 kHz 300 MHz Large selection of SMD and leaded housings LVPECL, LVDS oscillators Tight tolerances and excellent temperature stability Smallest design: 1,2 x 1,0 mm RTC (real time clock)
Applications	Measuring Devices GPS DEVICES Household Appliances BTM / IoT Clocks and Watches Industrial Controls Time Recording Tokens RFID	HF Audio Wireless Microphones Industrial Radio Controls Telecommunications WiFi	Computer & PC Games Industrial Electronics Medical Technology Reference Ascillators TV / Audio RFID
Specifics	Low ESR SMD watch crystal in SMD 3.2 x 1.5 mm housing SMD 3.2 x 1.5 mm watch crystal with parallel connections (improved EMI) SMD 1.6 x 1.0 mm tuning fork CM315 housing with tolerance of +-50 ppm incl. temperature drift (CM315G)	Small voltage-controlled oscillators for wireless stage microphones Base Station: Transceiver	SMD oscillator 32.768 kHz with extremely low power consumption and high precision Oscillators for LVDS and LVPCEL AEC-Q200 clock crystal Precision TCXOs with ±0.5 ppm tolerance

CITIZEN





Quartz / Oscillators / Filters



Manufacturer		Chequers	Chequers SiTime	
Quartz Crystals	MHz			
Clock Crystals	kHz			
Ceramic Resonators				
Ceramic Resonators				
MCF Filter				
SAW Filter				
Dielectric Filters				
Ceramic Filters				

Certifications	IATF 16949 supply chain	IATF 16949 supply chain AEC-Q100	IATF 16949 AEC-Q200 / AEC-Q100
General Information	Ceramic resonators: 1 60 MHz ≤ 2,5 × 2,0 mm Temp: - 40 + 85 °C Ceramic filter: z.B. 455 kHz / 10.7 MHz / 27 MHz / 45 MHz Dielectric filter: 433 MHz 5 GHz, Temp.: - 40 + 85 °C Quarze: bis 200 MHz, 1.6 × 1.2 mm, Temp.: - 40 + 125 °C Oscillators: bis 200 MHz, 2.0 × 1.6 mm, Temp.: - 40 + 125 °C	Silicon MEMS based oscillators lators from 1 Hz 900 MHz Low Power, Ultra-Perf. oscillators Differential and High-Temp. oscillators VCXO, DCXO, VCTCXO, OCXO Spread Spectrum & Field Prog oscillators Solutions for the extended temperature range from - 55 +125 °C Designs from SMD 7 x 5 mm up to 1.5 x 0.8 mm CSP and SOT23	SAW & BAW filter 200 MHz 3 GHz SMD up to 1.1 x 0.9 mm Intermediate frequency filter from 33 MHz 900 MHz SMD up to 1.6 x 1.2 mm Extended temperature range: - 40 + 125 °C Dielectric filter and notch filter Duplexer and diplexer Standard and customised crystals and oscillators for automotive
Applications	Industrial Electronics Consumer Industry Radio Technology Lighting Industry White Goods	Automotive Ethernet DDR and PCI Applications Industrial Controls Medical Technology Wireless & Backhaul Fibre, Cable, DSL	Vehicle Electronics Digital Radio Mobile Radio (GSM, LTE) GNSS Radio Modules WiFi & BT V2X Applications
Specifics	Small SMD ceramic resonators 2.5 × 2 mm for 20 60 MHz Miniature quartz 1.6 × 1.2 mm SMD intermediate frequency filter e.g: 10.7 MHz , 450/455 kHz	Elite Platform [™] Super TCXOs stability (± 0.1 ppm to ± 2.5 ppm). Repla- ces conventional crystal OCXOs for 5G and IEEE 1588 synchronisation applications, while reducing power consumption and size SiTime's Automotive (AEC-Q100) Osc. ± 20 ppm Frequency stability from -55 °C to 125 °C Reduces EMI through spread spectrum clocking OCXO (±0.005 ~ 0.008 ppm)	FEM (Front End Module - Filter + Amplifier SMD Module for GNSS applications) Dual Filter for RKE applications Miniature VC-TCXO and TCXO Narrow band SAW filters for IoT and TC SAW filters LTE filters for worldwide frequency bands







RF Modules / Antennas



Manufacturer	Aurel	Neocortec	Panasonic	Feasycom
RF-Module (ISM-Band 868 MHz 2.4 GHz)	-			
Bluetooth®				
WiFi™				
Mesh Netzwerk				
LoRa™ Transceiver				

Features

Certifications	ISO 9001	ISO 9001 ISO 14001	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16949
General Information	Radio modules for the ISM bands 315, 433.92, 868, 915 MHz and 2.4 GHz Products conform to applicable European standards (RED) Transmitters, receivers, transceivers and handheld transmitters sceivers and handheld transmitters AM & FM Transceivers / transmitters with antennas Receivers with extremely low power consumption for use in battery-powered systems Customised developments and production Electronics with radio	868, 915 MHz and 2.4 GHz modules Mesh network Easy to build, modify and expand Low maintenance, long-la- sting performance Simple integration, no hidden costs	Bluetooth® 4.2/5.0/5.1/5.3 Low Energy Module Supports IEEE® 802.15.4 Combo WiFi™ 2.4 GHz, 5 GHz and 5.2 GHz 802.11 a/b/g/n/ac/ax + Bluetooth® 5.0 (BR, DER, LE) modules Modules with integrated antenna or U.FL connector Solderable modules Industrial modules with ex- tended temperature range	Bluetooth® 4.2/5.0/5.1/5.2/5.3 Low Energy Module Supports IEEE® 802.15.4 Combo WiFi™ 2.4 GHz and 5 GHz 802.11 a/b/g/n/ac/ax + Bluetooth® 5.2 (BR, DER, LE) modules Modules with integrated chip antenna Solderable modules Industrial modules with extended temperature range
Applications	Door / gate opener access systems House alarm systems / smoke detectors Home automation Measuring and dosing systems Telemetry / radio control Emergency call systems / radio- networks IoT applications Long range communication	Wireless sensor networks Mobile ad-hoc networks Home control & buildings Home Automation Industrial Automation Alarm and security systems Agriculture and forestry	Diagnostics and main- tenance systems Industrial IoT Telemetry / radio control Smart home / home automation Medical Healthcare Sensor applications	Consumer products Industrial IoT Telemetry / radio control Smart home / home automation Smart City Sensor applications
Specifics	Long range transceiver for ranges of up to 12 km SMD transceiver 868 MHz Rain sensor for applications in weather stations Rolling code hand-held transmitter in different variants	NC1000C-8 and NC1000P-8 - 868MHz SRD band NC1000C-9 and NC1000P-9 - 915MHz ISM band NC2400C and NC2400P - Global: 2.4GHz ISM band	PAN1783A - Bluetooth® 5.3, IEEE® 802.15.4 & NFC-A supports Bluetooth direction finding AoA & AoD PAN9019 Wi-Fi® 6 Radio 2.4 GHz & 5.0 GHz 802.11 a/b/g/n/ac/ax & Bluetooth® 5.2 (BR, EDR, LE) only PAN9019A: & 802.15.4 Bluetooth combo module	FSC-BT631D BLE Bluetooth 5.3 Mo- dul 5,4x5,8x1,2 mm FSC-1038A Bluetooth 5.4 LE Au- dio-Modul FSC-BW256 Bluetooth 5.0 Dual Mode 802.11 a/b/g/n/ax



neo.cortec







Manufacturer	Locosys	2J antennas	Inpaq
GPS/GNSS Receiver Modules			
GPS/GNSS Smart Antennen Module			
Antennas f. ISM Band, Bluetooth ®/WiFi™		•	
Antennas f. GPS/GNSS			
Antennas f. Cellular			
Antennas f. Car2Car Communication		•	-
Antennas f. NFC (Near Field Communication)		•	
WPC (Wireless Power Charging)			
UWB			

Certifications	IATF 16949 ISO 9001 ISO 16750 ISO 26262	IATF 16949 ISO 9001 ISO 14001	IATF 16949 ISO 9001 ISO 14001 QS 9000
General Information	GNSS (GPS/GLONASS/BeiDou/ Galileo) modules and GNSS-Mouse GNSS RTD/RTK modules GNSS antenna modules ADR & UDR solutions RTK solutions Products according to AEC Q100	PCB and flexible foil antennas, SMD/SMT and omnidirectional anten- nas and patch antennas Standard and customised internal and external antennas with high efficiency for Cellular, GNSS, Bluetooth®/WiFi™ and ISM band Multi-band antennas Customised cables, cable lengths and connectors Option for logo imprint and customi- sed customised housing colour Antennas with IP67, IP69K and IK09	Patch antennas, chip antennas, active antennas, dipole antennas, SMT antennas, LCT/LDS, NFC, wireless power charger Customised patch antennas for GPS, GLONASS, Galileo, BeiDou, SDARS, DAB etc. Patch antennas with small dimensions (up to 6 × 6 mm) and low height (up to 2 mm) possible Chip antennas for GNSS, Cellular, Bluetooth ®/WiFi™ and ISM band Multi-band antennas, helix antennas, 5G antennas, ultra-wideband Customised solutions for WPC and NFC LDS (laser direct structuring) solutions
Applications	Tracking / Tracing Telematics / Navigation Drones E-Call / Emergency Call Systems Autonomous driving Agriculture Marine applications AGV robotics	Tracking / Tracing Telematics / Navigation Automation M2M Telecommunications Smart City / Smart Home Marine applications	Tracking / Tracing Telematics / Navigation Car infotainment V2X/V2V communication Wireless charging applications Keyless systems E-Call Autonomous driving
Specifics	High-precision GNSS RTK solutions for centimetre navigation - from the module to the base station RTK-1010 as GNSS RTK module solution RTK-4057 as GNSS RTK board solution RTK-Mx00 as a system solution suita- ble as a rover or base station	5G NR antennas High-performance antennas for 5G networks Ground plane dependent and independent antennas for internal and external use External antenna solutions with up to 4 × 5G NR MIMO	L1/L2/L5/L6 antenna series Stacked patch antennas with/without housing for high-precision, centimetre-ac- curate navigation systems Narrowband and broadband antennas as 2-pin or 4-pin solution







Analog ICs



Manufacturer	Holtek	MPS	Nisshinbo	SG Micro
Analog Switches				
Audio ICs				
Communication ICs				
Display Drivers				
GaAs MMICs				
LED Drivers				
Microcontroller				
Motor ICs				
Operational Amplifiers				
Power Supply ICs				
Video ICs				
Logik ICs				
Touch & Multisensor ICs				

Features

Certifications	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001
General Information	Taiwan-based company specialising in the development of micro- controllers and their surrounding components The microcontrollers contain fully integrated digital and analogue functions such as: A/D converters, LCD drivers, PWM generators, LED drivers, SPI/I2C interface, USB drivers, voice functions, RF func- tions, telecom functions etc. The microcontrollers fulfil industrial requirements and are available as OTP and Flash versions	Monolithic Power Systems (MPS) is a USA-based company specialising in high-per- formance semiconductors Product areas: DC/DC converter ICs LED driver ICs Class D audio amplifier ICs Linear ICs such as opera- tional and current sense amplifiers Battery charging and protection ICs Motor control ICs	Nisshinbo is a Japanese company focusing on the development and producti- on of analogue ICs Leading in the field of operational amplifiers (OPA) and LDO Nisshinbo offers a wide va- riety of ICs for communica- tion, automotive, industrial and RF applications	SG Micro specialises in high performance, high quality analogue IC design, marketing and sales. Experts in analogue IC design with more than 20 years of ex- perience in IC design, layout, process, assembly, test and quality control. Ensuring product performance and quality Leading supplier of analogue ICs
Applications	Industrial and Communication Applications White Goods Consumer electronics	Sensors, Headphones, Automotive, TV, White Goods, PLC, Navigation Systems, Mobile Phones, Engine Controls	e tomotive, TV, White Goods, Applications ion PLC, Navigation Systems, White Goods	
Specifics	32 - Bit MCU PIR Sensor	Mini modules Motor control with integrated Hall sensor	Miniature N and P swit- ching drivers for sensors, switching controllers, GPS front-end modules	Levelshifter



mes





Memory ICs



Manufacturer	Alliance	ESMT	Fidelix	GigaDevice
SRAM/pSRAM				
SDRAM/DDR/DDR2/DDR3/ DDR4				
Flash				
МСР				
eMMC				
Audio IC				
Microcontroller				
Power Supply ICs				

Certifications	ISO 9001	ISO 9001	ISO 9001	ISO 9001
	ISO 14001	ISO 14001	ISO 14001	ISO 14001
General Information	Alliance Memory Inc. is an American company Production of components to support long-life indus- trial and communications applications Product expansion to SDRAM and DDR1/2/3/4 and Parallel Flash	Elite Semiconductor Memory Technology Inc. ('ESMT'), is a Taiwanese IC design house Wide range of memory densities (1 Mb - 8 Gb) and various DRAM products (SDRAM, DDR, mobile SD/ DDR1 to DDR4) 16 Mb - 4 Gb Selection of NOR and NAND flashes 1 Mb - 8 Gb	Korean fabless company Development of high-per- formance and cost-effective memory solutions PSRAMs 4 Mb - 32 Mb, Low Power SDRAMs, Low Power SDRAMs, Low Power DDR1/2/3, SDRAMs 32 Mb - 2 Gb and memory for mobile applications	GigaDevice stands for advanced memory techno- logy and micro controllers in China Fabless Large product range of NOR flashes and NAND flashes The 32Bit MCU expands the product portfolio
Applications	Industrial and Communication Market	PCs, servers and Workstations PC accessories Industrial Applications Consumer Communication	'low power' and fast storage solutions for mobile communication and point- to-point applications	Industrial Medical Consumer Automotive
Specifics	Psram: 8 Mb – 128 Mb 8 Gb DDR3 2 Gb DDR2 4 Gb DDR4 1 Gb-16 Mb Parallel NOR Flash	8 Gb DDR3 4 Gb DDR4 SPI NAND Flash: 1 Gb – 4 Gb Parallel NAND Flash: 1 Gb – 8 Gb	SPI Nand Flash: 1 Gb – 8 G	1 Gb NAND Parallel 1 Gb – 4 Gb NAND SPI Microcontroller Cortex M23 and Risc-V









Protection Devices



Manufacturer		Cosmo	CT Micro	ECE	Semitec
Overcurrent	PPTCs				
	Power Thermistors				
	CRDs				
Coupler/SSR	Opto Coupler				
	MOS Relay				
	Solid State Relay				

Certifications	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16969	ISO 9001 ISO 14001 IATF 16969	ISO 9001 ISO 14001
General Information	DIL, SMD, mini-flat (SOP), LSOP and SSOP packages Single and array types CTR: 50 2000% High-speed coupler up to 10 MBit Insulation voltages up to 5 kV UL, VDE and TÜV approvals	DFN, DIL, SMD, Mini-flat (SOP), LSOP, SSOP and new wide body-housing Single- and multi-channel CTR: 50 15000 % High-speed couplers up to 10 MBit Insulation voltages up to 5 kV UL, VDE and TÜV approvals	DIL, SMD and miniflat (SOP) housing Load current: 130 40 A Load voltage: 60 800 V On resistance: 0.83 28 Ω Insulation voltages: up to 5 kV Tripping current: 1025mA UL and TÜV approvals	Unique Current control characteristic Control currents: 0,1 22 mA Voltages up to 100 V High dynamic impedance Low temperature drift
Applications	Power Supply Household Appliances Industry Telecommunications Network Technology Payment Systems (POS) Measuring and Testing Devices	Power Supply Household Appliances Industry Telecommunications Network technology Payment systems (POS) Measuring and Testing Devices	Power Supply Household Appliances Industry Telecommunications Network Technology Payment Systems (POS) Measuring and Testing Devices	PLC (programmable logic controller) Sensors LED Control Loops
Specifics		CTP17 – smallest and flat- test optocoupler worldwide CT816L low input current phototransistor optocou- pler with higher operating temperature of 110 °C CTH214 & CTH217 – new 4-pin half pitch miniflat phototransistor optocoupler	High current MOS relays including the EPR311A038005 with a continuous peak load current of 6A	CRD S-223T 22 mA and 500 mW rated current regulative diode in compact SOD-123FL package











Manufactu	rer	Eris	ProTek	Inpaq	SFI
Over-	TVS-Dioden/Arrays				
voltage Protection Mult	Multilayer Varistor				
Trofocation	CSPDs				
	ESD Suppressor				
	Protection Thyristors				
	Protection Modules				
Discrete	Dioden				
	Transistors				

Certifications	ISO 9001 ISO 14001 IATF 16949 AEC-Q101 (Teilbereiche)	ISO 9001 AEC-Q101 (Teilbereiche) IATF 16949 (Teilbereiche)	ISO 9001 ISO 14001 IATF 16949 AEC-Q200	ISO 9001 ISO 14001 IATF 16949 AEC-Q200 (Teilbereiche)
General Information	Eris is a Taiwanese ODM who offers a wide range of support services for design services for design, ma- nufacturing and aftermar- keting services for diode products Eris' business scope includes Schottky diodes, TVS diodes, Zener diodes, bridge diodes, wafers diodes, wafers, MOSFETs and bipolar transistors	Designs: SMD from 0201, modules and wired solutions Uni- and bi-directional Voltages: 1 440 VDC Pulse power up to 2.2 MVV Low capacitance up to 0.15 pF High ESD protection > 30 kV No ageing	Types: 0201 1812 Voltages: 4 42 VAC Extremely short response time (< 1 ns) Very low capacitance (0.2 pF) Extremely low leakage current Zero signal distortion	Types: 0201 6420 Voltages: 3,3 385 VDC Pulse currents up to 5.5 kA (8/20µs) Very low capacitance down to 0.05 pF for HF applications ESD protection up to > 30 kV CSPDs with superior over- voltage and overcurrent protection
Applications	Automotive Telecommunications Industry Consumer Computer + IT	Automotive Industry Telecommunications Network technology Medical technology Measuring and Testing Devices Security technology Payment systems (POS)	Automotive HF Modules Antenna Circuits HDMI + USB Display Ports Handheld Devices Set-top Boxes	Telecommunications + Network: Ethernet Access Control IP Cameras Base Stations Security Systems Modems
Specifics	New CRD series in SMA & SMB package	SM3/5/10KW series - super flat DFN 2 housing, high peak pulse power AEC-Q101 qualified PA- M8S series, pulse 5A/5B load dump suppression according to ISO 16750-2 DFN8-36-T73 for the protection of I/O links	ESD GuardTM in miniature size 0201 AEC-Q200 specified MLVS AM & EGA AM series for automotive applications	SHV series - Voltage protec- tion for increased voltage range up to 385 V DC, small designs from 1210 3220 SHA series - load dump Protection up to 80 joules, in 1210 3220 enclo- sures









Thermal Management



Manufacturer	ADDA	SINWAN	Ecofit	Fulltech	Minebea Mitsumi	QianYuang	Thoptec
Fan							
Heat Sink							
Fan Accessories							
Customised Complete Systems							

Features

Certifications	IECQ QC080000 ISO 14064 ISO 14001 ISO/IATF 16949 OHSAS 18001 ISO 9001	ISO 9001 EN 60529	ISO 9001	ISO 9001	ISO 9001 ISO 14001	ISO 9001	ISO 9001
General Information	ADDA, one of the wor- ld's largest fan manu- facturers, was founded in 1978 and specialises in cooling solutions with fans & heat sinks ADDA supports its customers with a large standard portfolio and customised solutions	Founded in 1976 in Taiwan. De- sign, production and assembly Hundreds of product combina- tions including: AC/DC axial, EC fans, all-me- tal, centrifugal and tangential fans, blowers, motors, Dust-tight, splash-proof, all IP protection classes	Ecofit was foun- ded in 1976 in Vendôme (France) and has been part of the Rosenberg Group since 1994 From standard pro- ducts to customised developments, Ecofit offers all its customers inva- luable know-how based on more than 40 years of experience	Fulltech is an AC fan manufacturer from Taiwan and has been selling fans worldwide since 1990 Fulltech offers design, development development and manufacture of the fans	NMB- Minebea was founded in Tokyo in 1951 With a market share of 60 % for ball bearings and the expansion of its portfolio, NMB- Minebea is one of the global players world- wide	Qianyuan was founded in 2003. The most important products are: Wire and finger protection grilles for fans, grilles for cooling systems and grills, mesh racks for white goods (roasters, oven, etc.)	Thoptec is not only a manufacturer of fastening elements for electronic components, but also supports its customers with special solutions from product plan- ning to series production. but also supports its customers with special solutions from product plan- ning to series production
Applications	White goods Cooling technology (automotive) Mini projectors Drones Industrial PC applications Industrial automation, Medical IT & Telecoms Consumer goods	Medicine Industrial drive technology Air purification Industrial trucks Food industry Home Appliance	Building ventilation Railway Dryers Filtration Refrigeration/coo- ling technology Wind energy Air conditioning of switch cabinets HVAC (heating, ventilation, air conditioning)	Photography lighting, Control panels, Stage lighting, White goods, LED displays, Heat exchangers, Fog machines, Power monitoring, Elevators lifts, Photovoltaic in- dustry, Medical	Air conditioning and ventilation industry, Agri- cultural industry, Industrial techno- logy, Heating & burner technolo- gy, Household appliances, Compressors sors, Railway, Food industry, Medical, Perso- nal protection		
Specifics		IPRating + 30 days (GR-487) Salt spray-certified fan (EN60529)	125D-A ETRI fan: higher airflow, without increase in noise level; wider power range; 0 10 V or PWM	EC fans Cross-flow fan fan with right- hand motor			











QIANYUAN



Electromechanics



Manufacturer	Diptronics	ECE	knitter-switch	win	Marquardt
Touch Switches					
Pushbutton Switches					
Microswitches / Snap-action Switch					
Silicone keypads/ Membrane keypads					
Relays					
Tilt Switches					
DIP/Piano Switches					
Rotary coding Switches					
Slide Switches					
Industrial Switches/ Buttons					
Detectors/ Tamper Switches					
Rocker Switch / Toggle Switch					
Luminaires					
Foot Switches					
ECO Switches					
Keys					

Certifications	IATF 16949 ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16949 OHSAS18001	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16949 medical care ISO 13485	ISO 9001 ISO 1400, IATF 16949
General Information	Founded in 1985, Diptronics specialises in the produczion of pushbuttons and coding switches. Strengths: Complete in-house production, Own engineering team, LED switch assembly line, Support in production and design	Since its foundation in 1981, Excel Cell Electronic has expan- ded its portfolio with a wide range of switches, connectors and small stamped parts. Strengths: vertical integration and in-house development	Knitter-switch has a lea- ding position in switch technology. Extensive selection of switches, keyboards (support for customised solutions)	Win was founded in Taipei in 1978. Win now produces at two locations with an expanded portfolio. Tool and mould making as well as finishing such as screen printing, pain- ting, laser etching	Since 1925, Marquardt has developed into a leading supplier of switches and switching systems. Marquardt attaches great importance to innovation and the development of high-quality products that fulfil the requirements of its customers
Applications	IoT, Notebooks, Smart home, Automotive, White goods, Medical, Industry, Security, Telecommunication	MMS, Household techno- logy, Building automati- on, Industry, Mechanical engineering, Automotive, Medical, Safety techno- logy, Industrial trucks	Household technology, building automation, industry, mechanical engineering, automoti- ve, medical technology, safety technology, industrial trucks	MMS, Household technology, Building automation, Industry, Mechanical engineering Automotive, Medical, Safety technology, Industrial trucks	Household tech- nology, Building automation, Indus- try, Mechanical engineering, Auto- motive, Medical
Specifics	Concentration on switch business, Business; further development of new technolo- gies (smartphone, automotive and illuminated switches)		ICE series: switch series for industrial control that fulfils all relevant safety regulations		










Connectors



Manufacturer		Amphenol
	USB	
	RJ	
_	D-Sub	
Data Connectors	HDMI / SATA	
connectors	FFC / FPC	
	IDC / Flat Ribbon Cable	
	Antennas	
	Terminal Blocks	
	Header / Housing	
Power	Battery Connectors	
Connectors	Charging Connectors	
	High Current Connectors	
	CEE Connector	
	MS Industrial Connectors	
	MIL Connectors	
Circular	Coaxial Connectors	 In the second sec
Connectors	Solar Connectors	
	Audio Connectors	
	Sensor Connectors	
	Heavy-Duty Rectangular connectors	•
Rectangular	A-Series	
Connectors	Terminal Blocks	
	Data Connectors	
	Printed Circuit Connectors	

Certifications	ISO 9001 ISO 14001 VG und TüV
General Information	Large selection of high-quality connectors for demanding applications
Applications	Telecommunications, computers and IT, Power Supplies, Industry, Defence, Marine, Railway, Audio, LED cabling, Solar plugs AC/DC, Mechanical engineering, measurement and Control technology, Medical, EV charging
Specifics	Combolock® Draht-zu-Platine Minitek® Pwr PCIe® BarKlip® BK200 E/A













Manufacturer		Adam Tech	ECE	Fujikura
	USB			
	RJ			
Data	D-Sub			
Connectors	HDMI / SATA			
	FFC / FPC			
	IDC / Flatcable			
Power	Terminal Blocks			
Connectors	Header / Housing			
MS Connectors	MIL-DTL-5015			

Certifications	ISO 9001 ISO 13485 IATF 16949	ISO 9001 ISO 45001 IATF 16949	ISO 9001 ISO 14001
General Information	Adam Tech is a manufacturer specialising in high-quality electronic connectors, cables and interconnect solutions The company offers a wide range including board-to-board, wire-to- board, wire-to-wire connectors and customised cable assemblies Manufacturer of connectors for power and data connectivity	Excel Cell Electronics is a leading company in the electronics indus- try, specialising in the development and manufacture of high-quality electronic components High quality printed circuit board connectors	Fujikura is a leading manufacturer of electrical products under the brand name DDK The company offers a wide range of high quality connectors for various applications Manufacturer of circular connec- tors according to MII-DTL-5015 standard
Applications	Telecommunications Automotive Computers and IT Sensors Industry Power supplies	Telecommunications Automotive Computers and IT Sensors Industry Power supplies	Mechanical engineering Transport Power generation Industry
Specifics	USB Type-C (USB4 Gen 3) High speed data (HSD) FAKRA connectors Magnetic cable assemblies and connectors		







Only available in Switzerland



	High frequency	Signalling technology
Manufacturer	Huber & Suhner	Werma
Cable Plugs		
Device Plugs		
Print Connectors		
Adapter		
Termination Resistors		
Attenuator		
Lightning Protection		
Custom Assembly		
Cables		
Horns		•
Sirens		•
Optical and Acoustic Combinations		•
Signal Lights		•
Traffic Lights		•
Signal Towers		

Features

Certificates	ISO 9001 ISO 14001 Neu: IRIS Certification	ISO 9001 ISO 14001 ISO 50001
General Information	Huber+Suhner is a globally active Swiss company specialising in the development and manufacture of components and system solutions in the field of electrical and optical connection technolo- gy. The main areas are radio frequency, low frequency and fibre optics.	WERMA Signaltechnik is a German company that develops and produces optical and acoustic signalling devices. The company was founded in 1950
Applications	High frequency: Communication technology Mobile radio Aerospace Aerospace defence Measurement technology	Manufacturing and production plants Mechanical and plant engineering Automation technology Logistics and material flow Building technology and security systems



HUBER+SUHNER

Customized Cable Assemblies

Endrich offers customized cable assemblies tailored to your specifications, manufactured by our partners. Your assemblies are produced with consistently high quality on modern, efficient, and precise fully- and semi-automatic machines, as well as cutting and assembly devices. Before delivery, they are tested using various methods according to your requirements. Customer-specific components can be integrated into the assembly.

Versions	Processing techniques	Testing techniques
Single wires	Crimping technology, press connections	Polarity testing
Flat ribbon cable	Soldering technology	Short circuit test
Coaxial cable	Ultrasonic welding	Length check
Wiring harnesses	Potting technology, hotmelt	Micrograph inspection
Sheathed cables (shielded and unshielded)	Device installation	Trigger force measurement
	Automatic bandaging	Crimp force monitoring

Assembly examples:

Amphenol C 16-3 device connector with individual wires and D-SUB sockets	Flat ribbon cable	Hummel hybrid connectors with cable and wires	Amphenol M16 device socket with flat cable
M12 pre-assembled	RJ connectors and Molex Micro-Fit	Ultrasonic welding of copper wires	Solar connectors

Lighting Solutions / LEDs



Manufa	icturer	Citizen	Everlight	Harvatek	Dominant
Low	SMD				
Power LEDs	Wired				
	7-Segm. Displays		•	-	
High Power	SMD				
Power LEDs	СОВ				
Modules	5				
Light En	gines				

Features

Certificates	ISO 9001 ISO 14001	ISO 9001 ISO 14001	ISO 9001 IATF 16949 ISO 14001	ISO 9001 ISO 14001 IATF 16949 AECQ102
General Information	COB and SMD LEDs for general lighting, horticulture, and industrial applications with outstanding performan- ce, efficiency, and reliability	Leading global optoelectronics manufacturer of visible LEDs with low and high power, SMD and through-hole LEDs, digital displays, infrared emitters, optical sensors, fiber optic components, and opto- coupler components	As one of the world leaders in SMD LED technology, Har- vatek is proficient in the deve- lopment and manufacturing of SMD LEDs, providing excellent solutions for backlighting, dis- plays, and keyboard lighting	Dominant is one of the world's leading manufacturers of LEDs, providing powerful and innovative solutions for automotive manu- facturers All Dominant products are qualified according to automotive standard AEC-Q102.
Applications	Spot Lights Down Lights High Bay Street Lights Flood Lights Horticulture UV Module	LED Lighting UV LED Industry Status Horticulture Signage	LED Lighting UV LED Industry Status Keyboards	Automotive Industry Status
Specifics	COB Serie Version 9 Type-F & Type-Y COB High Intensity Serie Version 4 Type-F	Deep RED High Power and Royal Blue Horticulture Signage RGB 4 in 1 RGBVV CSP RGB IC	IC RGB	Sideway IC RGB AECQ102

CITIZEN ELECTRONICS CO., LTD.

EVERLIGHT

HARVATEK

DOMINANT

Lighting Solutions / LEDs



Manufa	cturer	Lextar	OSA	Crystal IS	Audax
Low	SMD				
Power LEDs	Wired				
	7-Segm. Displays				
High Power	SMD				
Power LEDs	СОВ				
Modules					
Light Eng	gines				

Certificates	ISO 9001 ISO 14001 ISO 45001 IATF 16949 ANSI/ESDS20.20 ISO 17025 ISO 262626 (2021/E) ISO 50001 AECQ102	ISO 9001	ISO 9001	ISO 9001
General Information	Lextar boasts a highly skilled research and development team with over 2,300 patents worldwide, offering exceptio- nal optoelectronic technology solutions and services	OSA develops and manu- factures specialized, customi- zed high brightness and high power LED chips and SMD LEDs	The product line from Crystal IS leverages the unique properties of aluminum nitride to offer high-quality UVC LED products	Audax Electronics was founded in 2012 and has focused on the development of LED light engines The product portfolio is continuously expanded with cutting-edge LED solutions
Applications	LED Lighting UV Industrie Status Automotive	LED Lighting UV Horticulture Customized LED Modules	Water Treatment Surface Treatment Air Treatment	LED Lighting UV Horticulture Custom LED Modules
Specifics		LEDs for hyperspectral imaging and measurement technology Custom wavelengths	Ultraviolet light in the wavelength range of 260 nm to 270 nm	LED Boards UV Boards Horticulture LED Boards RGB/W LED Boards









LEDs



Manufactu	Jrer	Inventronics	LiFud	ELT	Fulham
Power Supplies	Indoor		•	•	
ooppries	Outdoor				

Features

Certificates	ISO 9001	ISO 9001 ISO 14001	ISO 9001 ISO 14001	ISO 9001
General Information	Inventronics was founded in 2007 and is one of the world's leading manufacturers of LED drivers, specializing in the development of innovative, highly reliable, and long-lasting products that are certified to all major international safety and performance standards	LiFud was founded in 2007. They are dedicated to tech- nological innovation and the development of energy-saving, healthy, and environmentally friendly LED drivers	ELT is a Spanish corporate group specializing in the development, manufacturing, and distribution of LED drivers, having achieved a leading market position over more than 40 years	Decades of experience have positioned Fulham at the forefront of innovative technology in essential ligh- ting products, smart lighting controls, and health and sanitation solutions.
Applications	Interior Lighting Outdoor Lighting Tunnel Lighting Stadium Lighting Industrial Lighting Horticulture	Interior Lighting Outdoor Llighting Shop Lighting Industrial Lighting Smart Lighting	Interior Lighting Outdoor Lighting	Interior Lighting
Specifics	Mx & MGS Serie EUM Serie EBM Serie	Dali2 DT8 LED driver GSDYG series Triac dimming LF-AAT series	New triac driver series DLCM	Lumo Series European LED Drivers

inventronics

Lifūd





Accessories



Manufacture	er.	Ledil	Bender+Wirth	cooliance	Celera
Accessories for High Power LEDs	Holder	-			
	Heat Sink			-	
	Optics	-			
Thermal ma- nagement					

Certificates	ISO 9001	ISO 9001 ISO 14001	ISO 9001 ISO 14001	ISO 9001
General Information	As the undisputed market lea- der in LED optics, LEDiL firmly believes in the right light for enhanced well-being and sa- fety, optimized functionality, and improved sustainability through energy efficiency	Since 1899, Bender+Wirth has been supplying the lighting industry with compo- nents of the highest quality worldwide Their current product portfolio includes LED holders, LED con- nectors and lamp sockets	Cooliance is a global company that develops and manufactures a wide range of reliable thermal solutions and heat sinks	Celera is a technology compa- ny that provides solutions in the form of products and services for the thermal management of electrical and electronic de- vices across various industries and applications, including computers, smartphones, LEDs, and electric vehicles
Applications	Indoor Lighting Outdoor Lighting UV Horticulture Street Lighting	General Lighting	General Lighting Customised Solutions	LED Module General Lighting Industry Sensoren
Specifics	New series DAISY, STRADELLA, LISA Zhaga Standard	COB holder for UV-C: Series 430 made from a UV-resistant mineral	Zhaga Standard Customised adaptations	High heat dissipation High flexibility and adaptability Excellent mechanical and chemical stability







Capacitors



Manufacturer	Panasonic	PDC	SunCon	Walsin
Elektrolyte				
Polymer				
Hybrid				
MLCC				

Features

Certificates	IATF 16949 ISO 14001 AEC-Q200	IATF 16949 ISO 14001 AEC-Q200 OHAS 18000 AS9100	IATF 16949 ISO 14001 AEC-Q200	ISO 9001 ISO 14001 IATF 16949
General Information	Inventor and leading manufacturer of polymer technology, known for its long lifespan and compact size In the field of hybrid capacitors, Panasonic ranks among the top three manufacturers in the global market	PDC is the only Taiwanese manufacturer of MLCCs with true manufacturing depth, from ceramic powder to the production of finished products They specialize in unique require- ments such as: High voltages: up to 10 kV High capacitance: up to 330 µF Tight tolerance: up to +/- 1% For safety-critical applications: X1/Y2, X2 Large packages >1210 Additional features include low ESR, soft termination, AEC-Q200 qualification	A large portfolio of SMD electrol- ytic capacitors and polymer hybrid capacitors As a pioneer in polymer hybrid capacitors, which combine the advantages of wet electrolyte and solid capacitors, SUNCON offers the third generation of its EP-CAP capacitors Benefits include very high ripple current capability, lowest ESR values, long lifespan, and usabi- lity at very high temperatures up to +150°C	Walsin is among the top five manufacturers of multilayer ceramic capacitors (MLCC) in the global market The product range includes standard components as well as optimized versions for specific applications, including those focused on miniaturization
Applications	Automotive Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical
Specifics	Voltage extension for POSCAPs up to 50 V Ultra-low SP-cap with 3 mOhm.	Specifically suitable for large packages and high voltages	The FVF series is suitable for universal applications due to ripple current tables for use at different maximum temperatures The FVS series is referred to as semi-bipolar and offers resistance to short-term negative voltage up to -16V Expansion of the housing to a diameter of 18mm and a height of 20mm for SMD electrolytic capacitors.	Specifically suitable for custom large-scale projects or logistics systems.

Panasonic







Resistors



Manufacturer	E&C	PDC	RCD	Susumu	Walsin
Thin Film Resistors					
Shunts					
Thick Film Resistors					
Special Resistors					

Certificates	ISO 9001	IATF 16949 ISO 14001 AEC-Q200 OHAS 18000 AS9100	ISO 9001	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001 IATF 16949
General Information	Specialized in high- resistance resistors in the range of Mega to Peta Ohms, for vol- tages up to 750,000 VDC Custom products available	Thick-film resistors optimized for speci- fic applications Surge resistors with 2- or 3-times rated power High-voltage and safety resistors with UL certification	The largest selection of resistors from the following categories: thick-film, thin-film, wirewound, ceramic, metal glaze, and metal oxide Resistors are availa- ble in various forms, including chip, MELF, THT, radial, axial, as well as with or without heat sinks	Thin-film chip resistors with excellent long- term stability, as well as ultra-precision networks for use as voltage dividers Metal foil shunts with terminals on the short and long sides High-frequency products such as at- tenuators, termination resistors, and splitters	Walsin is among the top five manufacturers of thick- film resistors in the global market The product range inclu- des standard components as well as optimized versi- ons for specific applica- tions, including miniaturiz- ation, high power ratings, and high voltages
Applications	Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical	Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical
Specifics	The HC series refers to some of the smallest high-ohm chip resistors available on the market Package 0402 is available up to 150 G Ohm	Chip resistors with lead content <100 ppm, making them RoHS compliant without exception	CM300 Type – ultra-flat 300 Watt power resistors with a proprietary flame-retardant pro- tective coating When combined with appropriate air or water cooling, the CM300 delivers optimal performance	Custom products available Chip attenuators for frequencies up to 50 GHz Thin-film resistors with up to 7.5 Megaohms	Specifically suitable for custom large-scale projects or logistics systems







Inductive Components



Manufacturer	ABC	Ιηραq
Power Chokes		•
Iron/Metal Core		
Filter		
Chip		

Certificates	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001 IATF 16949
General Information	Wide selection of SMD and THT Inductors for applications such as DC/DC converters or as filter chokes in bus systems Despite focusing on automated production, ABC maintains significant flexibility, resulting in small minimum order quantities (MOQ) and reasonable delivery times While holding over 100 patents, ABC also offers many products in standard market configurations	Inpaq offers inductors for RF and DC applications, such as chip ferrite beads, filters, and chokes, using technolo- gies like multilayer, wire-wound, and thin-film Inpaq is one of the largest manufacturers of miniature inductors. The WIP series has a monthly output of 600 million units
Applications	Automotive Smart Industry Smart Products Medical	Automotive Smart Industry Smart Products Medical
Specifics	ABC is capable of producing semi-customized and customized inductors and transformers	Inpaq's WIP series is referenced by Qualcomm for the Snapdragon platform





Acoustics



Manufacturer	Baolong	BSE	Chinasound	Qinlon	Universal	Vansonic
Piezoelectric Transducers						
Piezoelectric Buzzers						
Piezoelectric Speaker						
Piezoelectric Element						
E-magnetic Transducer				-		
E-magnetic Buzzer				-		
Dynamic Speakers						-
SMD microphones, reflow solderable						
Standard Microphones						
MEMS Microphones						
Coin Type Vibration Motors						
Cylinder Type Vibration Motors						
SMD Vibration Motors						
Linear Vibration Motors						

Certificates	ISO 9001 ISO 14001 OHSAS 18001 IATF1 6949	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001 IATF 16949	ISO 9001 ISO 14001 IATF 16949 ISO 45001
General Information	Location: Wenzhou/ China, founded: 1986 Baolong specialises in micro vibration motors and micro drive motors. Custo- mised adaptations possible. Advanta- ges: Long service life, small size, light weight, low energy consumption	BSE was foun- ded in 1987 in Incheon, South Korea. Founded BSE develops and produces acoustic solu- tions, primarily microphones	Chinasound develops and pro- duces piezo com- ponents, buzzers, including warning buzzers and My- lar loudspeakers in Changzhou, China	Qinlon was founded in 1994 Development and research of electro- acoustic components such as loudspea- kers, buzzers and ultrasonic sensors. One of its strengths is the combination of applications and suitable acoustic technology	Company in China, founded in 1996 Manufacturer of electro-acoustic com- ponents such as buz- zers, loudspeakers and microphones High quality can be guaranteed thanks to professionalism and many years of experience	Locations in Foshan and Shanghai Broad product ran- ge of loudspeakers and microphones (ECM technology: conventional and reflow solderable) Customised solutions
Applications	Mobile phones Fitness watches E-cigarettes Electric toothbrushes Switches and control panels (haptic feedback)	Smartphones MP3 players Computers Communica- tions Automotive	Piezoelectric warning buzzers and sirens for fire protection and security systems Household appli- ances Payment systems (POS)	Automotive Intelligent household appliances	Automotive Household appli- ances Communication Consumer industry	Computer industry Telecommunications Automotive Consumer industry Household appli- ances
Specifics	Smallest SMD Vibra- tion motor BLT- 3211H, small disc-shaped vibration motors 0720 & 0625, LRA vibration motors 0832 & 0412	Receiver loudspeaker	Customised piezoelectric warning buzzer SMD loudspeaker	Own research institute for the con- tinuous automation of production to promote product quality	Customised solutions	Water-pro- tected speakers, microphones and receivers (up to IP67), Speakers in small enclosures, SMD speakers













Batteries / Power Supplies



Manufacturer	EVE	Fanso	Friwo	Vision Group
Li-SOCl ₂ / Li-MnO ₂				
Super Pulse Cap				
Lithium 9 V				
Li-Ion / Li-Polymer / LiFePo				
AC/DC Switching Power Supply				
DC/DC Converter				
Custom Design Batteries				

Certificates	ISO 9001 ISO 14001 IATF 16949	ISO 9001 UL RoHs UN 38.3 IATF 16949	ISO 8000 ISO 9001 ISO 14001 ISO 13485 TS 16949 SIQ (ENEC) UL C-Tick UKCA PSA CCC EAC UN38.3	ISO 9001 ISO 14001 ISO 45001 IEC 62619 UN 38.3 CE
General Information	One of the largest pro- ducers of lithium batteries Development and producti- on in-house Li-SOCl ₂ and Li-MnO ₂ High-temperature cells Temp: - 40 +125 °C SPC - Super Pulse Capa- citors Customised battery packs ICR18650 with 2000 mAh and 2900 mAh	Qualified manufacturer of primary lithium batteries specialising in: 3.6 V Li-SOCl ₂ batteries and 3.0 V Li-MnO ₂ batteries Ultra-thin Li-SoCl ₂ / Li-MnO ₂ pouch batteries 9 V lithium batteries Super capacitors SLS1016 / 1025	Leading manufacturer of power supplies Plug-in power supplies: 6 - 60 W AC/DC con- verters Desktop power supplies: 6 - 60 W AC/DC converters AC/DC switching power supplies: 6 - 175 W (with/without active PFC) Housing: Plug-in and desk- top housing and openframe	Manufacturer for LiFePo, LiFePO ₄ batteries 12V (5Ah300Ah) with F2/M5/ M6/M8 terminals The batteries have a long service life with a number of cycles of >2000
Applications	Automotive Industry White Goods Medical Consumer	LWD & MWD: Oil Explo- ration, Electronic Pressure Gauges, Flow Meters, TPMS, Smart Meters, RFID, RAM and CMOS Circuits, Geothermal Detectors, Un- derwater Munitions, Sonar, GPS and IoT Devices	Industry Tools Medical E-Mobility	Rehab Vehicles Vehicles for senior citizens Solar power storage Cleaning machines Forklift trucks Golf carts
Specifics		Revolutionary ultra-thin Li- MnO ₂ battery CP104851 Ultra-thin Li-MnO ₂ battery pack for medical applica- tions Supercapacitor 1520 and 1550	Open frame power supply units HERC up to 175 W FOXNeo series 6-30W IPX2 protection for primary plug	The LiFePO ₄ batteries can be charged using the charging technology for lead-acid batteries







Batteries / Power Supplies



Manufacturer	Jauch	maxell
Li-MnO2		
Li-Ion / Li-Polymer		
AC/DC Converter		
DC/DC Converter		
Powerbanks		
Custom Design Batteries	•	
Transceiver Modul		
AC/DC Switching Power supply		
Mangan Dioxide		• • • • • • • • • • • • • • • • • • •
Alkaline		
Silver Oxide		
Isolation Amplifier		

Certificates	ISO 9001 UL RoHs UN 38.3 IATF 16949	ISO 9001 ISO 14001 UL
General Information	Leading German specialist for battery technology Li-Ion / Li-Po batteries Li-SoCl ₂ / Li-MnO ₂ Li button cells Lithium iron phosphate NiMH batteries Mobile lithium energy storage (XT-Powerbanks)	Leading manufacturer of batteries Primary batteries CR Manganese Dioxide button cells CR Manganese Dioxide cylindrical cells SR silver oxide button cells Alkaline batteries Rechargeable batteries ML Lithium Manganese button cells Solid state batteries Professional technical support and own production facilities
Applications	Industrial Electronics Medical Measurement and control technology Safety technology Automotive tooling Military and defence E-mobility Smart metering Communication technologies	Industry Automotive Medical Telecommunications Consumer Transport Test and Measurement Technology
Specifics	New proprietary battery brand 'JAUCH' with its own lithium polymer, lithium ion, lithium manganese dioxide and lithium thionyl chloride batteries	Solid batteries





Batteries / Power Supplies

Only available in Switzerland



Manufacturer	Yuasa	Energizer	Ansmann
PB Battery 6V and 12V (VRLA / Industry)			
PB Battery 6V and 12V (VRLA / Industry)			
Alkaline Batteries 1,5V		•	
Lithium Metal Batteries 1,5V			
NiMH Battery 1,2V			
Button Cells 3V		-	
Chargers for NiMH Battery			
Power Supplies			
Li-Ion Battery Packs			
Portable Spotlight			

Certifications	ISO9001 UL VDS (only some types from NP series) IATA (No limitation) UN2800	ISO 9001 UL UN 3090 (Lithium-Metall-Zellen) IATA 62nd Edition ICAO IEC 60086-1	ISO 9001 UL UN 3480 (Lithium-Ion-Akku-Packs) UN 3496 (NiMH-Batterien) IEC 60086-1 IATA
General Information	One of the leading manufacturers of lead accumulators Sealed construction Maintenance-free Valve regulated (low pressure) Leak-proof Can be operated in any position without loss of capacity, except for continuous upside-down operation Electrolyte bound in fibreglass mat Gas recombination cycle Excellent fast charging and discharging discharge properties Cycle operation or continuous charging possible Low self-discharge Easy to recycle	One of the leading manufacturers of alkaline cells Leakproof Low self-discharge Long storage time	A manufacturer of NiMH rechar- geable batteries Leakproof Low self-discharge Long storage time
Applications	Emergency power systems / emergency lighting Fire protection Cyclical applications such as golf carts e-mobility Wind energy systems UPSs Medical (not for life support equipment) Industrial electric drives	Batteries for professional applications Fire protection Small Applications Sensors Remote Controls Medical (not for life support equip- ment)	Batteries for professional appli- cations Small Applications Sensors Remote Controls







Product Overview

((・)) □ ('ヤ') 亞



光 ? 図 ふ》 4

Sensors

TOF Sensoren

			6		>		2.	ۍ _ک		neser	^{,01}	C.		⁵ . (105 NOS	~	or in	Ő	54	C	Sense	n ^{sot} e	×	ø
Sensors		Se	mitec	er (E	AL JUN	¹⁰ 80	1050 C	Sel S	48	5- <u>-</u> ;(e Se	site ⁰ SA	201 201	410°	hint -	ildi.	or 40	200 200	eon'	nrillio Mil	CIO PU	31024 51054	nsolu A	LOTEO P
Magnetic Field					-			\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark											
Current Measurement								\checkmark	\checkmark		\checkmark	\checkmark	\checkmark											
Partikelsensoren						\checkmark																		
Infrared Leds														\checkmark	\checkmark	\checkmark	\checkmark							\checkmark
Solar cells						\checkmark																		
Grid Eye – Thermopile Array						\checkmark																		
Radar sensors														\checkmark				\checkmark	\checkmark					
Ultraschallsensoren										\checkmark											\checkmark			
Pyrosensors (PIR)										\checkmark														
Vibration Sensors																						\checkmark		
Touch Sensors																							\checkmark	
Gas Sensors							\checkmark																	
Druck-, Füllstandsensoren							\checkmark													\checkmark				
Inertial Measurement Unit (IMU)						\checkmark																		
NTCs	1	\checkmark	\checkmark	\checkmark																				
PTCs				\checkmark	\checkmark																			
Konfektionierte Thermistoren		\checkmark	\checkmark	\checkmark																				
Laser und VCSEL															\checkmark									



Touch PCs & Embedded Systeme **Touch Monitore & Displays**

Touch PCs
Boxed PCs
Embedded Boards x86
Embedded Boards ARM
Touch Monitore
TFT-Displays with PCAP
Monochrome LC-Displays
pmOLED-Displays
E-Paper Displays





RF Products

Quartz / Oscillator / Filters
Quarze (MHz) / (kHz)
Ceramic Resonators
Oscillators
MCF Filters / SAW Filters
Dielectric Filters
Ceramic Filters
Antennen
Antennas f. ISM Band, Bluetooth ®/WiFi™
Antennas f. GPS/GNSS
Antennas f. Cellular
Antennas f. Car2Car Communication
Antennas f. NFC (Near Field Comm.)
WPC (Wireless Power Charging)
UWB
Module
RF-Module (315 MHz 2.4 GHz)
WiFi™-, Bluetooth®-Module
GPS/GNSS Module
LoRa™ Transceiver
Mesh Netzwerk

Che	ouers (iii	1er No	IUNO ST	m ^e SN	`	2	ontent	05 00 put	, ^o c	, 80, 80,	hosonic Fec	sy ne	, cottec
\checkmark	\checkmark			\checkmark	\checkmark								
√ .∕	. /	./	./	./	. /								
v V	V	V	V	\checkmark	\checkmark								
\checkmark		\checkmark			\checkmark								
\checkmark													

		\checkmark	\checkmark				
		\checkmark	\checkmark	\checkmark			
		\checkmark	\checkmark				
		\checkmark	\checkmark				
		\checkmark	\checkmark				
			\checkmark				
			\checkmark				
					$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$

				\checkmark				
						\checkmark	\checkmark	
					\checkmark			
				\checkmark				
				\checkmark		\checkmark	\checkmark	\checkmark

	CITIZEN
1 MARUWA	<u>Si</u> Time ⁻
SMI	ŢℐŢ
antennas	AUR ^e es,
	LOCOSYS

FEASYCOM»)


neo.cortec

Panasonic INDUSTRY

Semiconductors

Analog ICs
Analog Switches
Audio ICs
Communication ICs
Display Drivers
GaAs MMIC
LED Drivers
Microcontroller
Motor ICs
Operational Amplifiers
Power Supply ICs
Video ICs
Logic ICs
Touch & Multisensor IC
Speicher ICs
SRAMs/pSRAMs
SDRAMs/DDR/DDR2/DDR3/DDR4
Flash
MCP
eMMCs

								,
Š	,et	ج	shinb	Nict Mict	once	, 'À	dit.	on Devir
70	4		s cc	P	` </td <td>, 4,6</td> <td>, G</td> <td>1</td>	, 4,6	, G	1
	\checkmark	\checkmark	\checkmark					
\checkmark	\checkmark	\checkmark	\checkmark		\checkmark			
\checkmark		\checkmark						
\checkmark		\checkmark						
		\checkmark						
\checkmark	\checkmark				\checkmark			
\checkmark							\checkmark	
\checkmark	\checkmark	\checkmark	\checkmark				\checkmark	
\checkmark	\checkmark	\checkmark	\checkmark					-
\checkmark	\checkmark	\checkmark	\checkmark		\checkmark		\checkmark	
\checkmark		\checkmark	\checkmark					
			\checkmark					
\checkmark								





Protection Devices

Overcurrent Protection
PPTC
Power Thermistors
CRDs
Coupler/SSR
Opto Coupler
MOS Relay
Solid State Relay
Overvoltage Protection
TVS-Dioden/-Arrays
Multilayer Varistors
CSPD (chip surge protection device)
ESD Suppressor
Protection Thyristors
Protection Modules
Discrete
Dioden
Transistoren



\checkmark	Í			
\checkmark	Í	\checkmark		
	\checkmark	\checkmark		



\checkmark		
	\checkmark	
\checkmark	\checkmark	









Δ

PASSIVE SYSTEM ALLIANCE INPAG TECHNOLOGY CO. LTD.








Elektromechanics

Fan
Fan
Heat Sink
Fan Accessories
Customised Complete Systems
Switches
Touch Switches
Pushbutton Switches
Microswitches
Microswitches/Silicone keypads
Relays
Tilt Switches
DIP/Piano Switches
Rotary DIP Switches
Slide Switch
Industiral Control Switches
Detectors / Tamper Switches
Plug Connectors
Data
Power
Circular
Rectangular
MS Connectors
Customised Cable Assemblies





 \checkmark \checkmark $\sqrt{}$ $\sqrt{}$ $\overline{\checkmark}$ $\overline{\checkmark}$ $\overline{\checkmark}$ \checkmark \checkmark





ECOFIT ECOFIT & ETRE





MinebeaMitsumi













🗲 Fujikura

win



Elektromechanics

Elektromechanics Only available in Switzerland	Huber of Shing
Cable Plugs	\checkmark
Device Plugs	\checkmark
Print Connectors	\checkmark
Adapter	\checkmark
Termination Resistors	\checkmark
Attenuator	\checkmark
Lightning Protection	\checkmark
Custom Assembly	\checkmark
Cables	\checkmark
Horns	\checkmark
Sirens	\checkmark
Optical and Acoustic Combinations	\checkmark
Signal Lights	\checkmark
Traffic Lights	\checkmark
Signal Towers	\checkmark

HUBER+SUHNER



Lighting Solutions

ighting Solutions			w.	*	nt		、 、0	id ^{ht}	þ	, i	ć				nder × Nin	17 19		
Lichtlösungen / LEDs	Ć	inter e	High.	N ^{dole}	nino.	ion osc	کی رو رو	Pillon Pi	300+	entro	30 ft	Fill	oned	Be	nder olion	elo		
Low Power LEDs, SMD	✓		\checkmark	\checkmark	\checkmark	\checkmark											CITIZEN ELECTRONICS CO., LTD.	EVERLIGH
ow Power LEDs, Wired		\checkmark	\checkmark			\checkmark										_		
⁷ -Segment Displays		\checkmark	\checkmark														HARVATEK	DOMINAN Semiconductor
High Power LEDs, SMD		\checkmark			\checkmark	\checkmark	\checkmark										HANVATEN	Innovating Illumination
High Power LEDs, COB	✓	/																
Nodules	✓	/	\checkmark		\checkmark			\checkmark									Lextar	EPIGAP 🗢 OS
ight Engines								\checkmark										
EDs			1						1								Crystal 💥 IS	
ower Supplies Indoor									\checkmark	\checkmark	\checkmark	\checkmark					an Asahi Kasei company	
Power Supplies Outdoor									\checkmark	\checkmark	\checkmark						inventronics	LiFuc
Accessories																		Circo
Holder													\checkmark	\checkmark			OIT.	FULHAN
Heat Sinks															\checkmark		elt≋	Lighting - Global Cliner Sustainab
Optics													\checkmark					
hermal Management															\checkmark		LEDiĽ	BENDER +WIRTH
																	cooliance	CELERA Passion for Techniqu

Passive Components

Capacitors
Elektrolyt
Polymer
Hybrid
MLCC
Inductive Components
Power chokes (ferrite core)
Iron / metal core
Filter
Chip
Resistors
Thin Film Resistors
Shunts
Thick Film Resistors
Special Resistors



			\checkmark	\checkmark
			\checkmark	\checkmark
			\checkmark	\checkmark
			\checkmark	\checkmark

				\checkmark	\checkmark	
		\checkmark	\checkmark	\checkmark	\checkmark	
		\checkmark	\checkmark		\checkmark	
	\checkmark		\checkmark	\checkmark	\checkmark	



Acoustics

Piezoelectric Transducers
Piezoelectric Buzzers
Dynamic Speakers
Electret Sondenser Microphones
Standard Microphones
Vibration Motors





Batteries / Power Supplies

Li-SOCl ₂ / Li-MnO ₂
Super Pulse Cap
Lithium 9 V
Li-Ion / Li-Polymer/LifePo
AC/DC Converter
DC/DC Converter
Custom Design Batteries
Transceiver Modules
AC/DC Switching Power Supply
Isolation Amplifier
Powerbanks
Mangan Dioxide
Alkaline
Silver Oxide

ENE FOR	150 Fri	⁴⁰ 4	ision y	NOUR C	otell
\checkmark				\checkmark	
\checkmark					
\checkmark					
\checkmark	\checkmark	\checkmark	\checkmark		
	\checkmark				
	\checkmark				
	\checkmark		\checkmark		
	\checkmark				
			\checkmark		
				\checkmark	
				\checkmark	
				\checkmark	





FRIWO

Jauch

maxell

VISION GROUP

Batteries / Power Supplies Only available in Switzerland

PB Battery 6V and 12V (VRLA / Industry)
Chargers for PB Battery 6V, 12V and 24V
Alkaline Batteries 1,5V
Lithium Metal Battery 1,5V
NiMH-Akku 1,2V
Button Cells 3V
Button Cells 3V
Power Supplies
Li-Ion Battery Packs
Portable Spotlight







Imprint

Publisher: endrich Bauelemente Vertriebs GmbH Hauptstr. 56, 72202 Nagold, Germany Tel: +49 7452 6007-0 Mail: info@endrich.com, Web: www.endrich.com CEO: Dr. Christiane Endrich (V.i.S.d.P.) HRB Stuttgart 340213, VAT-Nr.: DE144367280

The company endrich Bauelemente Vertriebs GmbH does not assume any liability or warranty for the correctness of the data in this brochure. Subject to change without notice. As of 01.10.2024. All performance data is based on manufacturer's specifications. Distributed by endrich Bauelemente Vertriebs GmbH. Errors and omissions excepted. Illustrations similar. Printing: POGOmedia e.K., Kirschfeldstraße 6, 74629 Pfedelbach

OFFICES IN EUROPA Germany Naged (Headquarters) Austria France Spain Haly Hungary Switzerland nov invoic

Bendrich group

endrich Bauelemente Vertriebs GmbH P.O.Box 1251 · 72192 Nagold Tel.: +49 7452 6007-0 · info@endrich.com

endrich Ges.m.b.H. Ohlsdorfer Straße 18 · 4810 Gmunden · Austric Tel.: +43 1665 2525 · austria@endrich.com

endrich Bauelemente Vertriebs GmbH Sales Office and R&D Budapest Office: H-1191 Budapest, Corvin krt. 7-13 Tol: + 36 1297 4191 - hungary@endrich.com Novitronic GmbH Hauptstraße 56 · 72202 Nagold Tel · +49 7452 88780-20 · info@novitronic d

Novitronic AG Thurgauerstrasse 74 · 8050 Zürich Tel.: +41 4430 69191 · info@novitronic.com

www.novitronic.com



www.endrich.com